



# **Technical Bulletin**

## **Brick Chips, Track, Dust Properties**

#### **Aggregate Test Results**

Material: Brick Chi	ps Plant N	Number: 36 Date: 2/14/2019
	<b>Dry Sieve Analysis</b>	
Screen	Cumulative Weight Retained	Cumulative % Retained
1 1/2"	0.0	0.0%
1 1/4"	103.1	10.9%
1"	370.4	39.1%
3/4"	688.4	72.6%
1/2"	905.5	95.5%
3/8"	941.5	99.3%
1/4"	945.2	99.7%
Pan	947.9	100.0%
<u>Unit Weight:</u>	Loose	Compact
Dried	d1bs/ft <sup>3</sup>	<b>84.2</b> lbs/ft <sup>3</sup>
Moisture (as rec	eived): 0.4	44%
Pan	Weight: 3.3	
As Received Weight: 37.3		=
Dry	Weight: 37.15	<del>-</del>

 ${\sf Tech\_Bulletin\_Brick\ Chips\_Track\_Dust\ Properties.doc}$ 

03.1.19 **1** | Page

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained. Because of the variations in methods, conditions and equipment used in various forms of masonry installing, cleaning, and / or repairing, no warranties or guarantees are made as to the suitability of the products for the applications disclosed. GENERAL SHALE BRICK, INC. shall not be liable for and the customer assumes all risk and liability for any use or handling of any material beyond GENERAL SHALE BRICK, INC. direct control. The SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Please consult a building professional before installing, cleaning or repairing any masonry product.





## **Technical Bulletin**

### **Aggregate Test Results**

Material: Brick Track Plant Number: Date: **Dry Sieve Analysis Cumulative Weight** Cumulative % Retained Screen Retained 4 140.4 23.2% 8 230.6 38.1% 333.3 14 55.1% 439.0 28 72.6% 48 513.0 84.8% 100 91.2% 551.4 200 573.3 94.8% Pan 604.9 100.0% Fineness Modulus: 3.650 **Unit Weight:** Loose Compact lbs/ft3 lbs/ft3 Dried 76.0 94.4 Moisture (as received): 8.36% Pan Weight: 3.25 As Received Weight: 38.25

35.55

Dry Weight:

Tech\_Bulletin\_Brick Chips\_Track\_Dust Properties.doc

03.1.19 **2** | Page

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained. Because of the variations in methods, conditions and equipment used in various forms of masonry installing, cleaning, and / or repairing, no warranties or guarantees are made as to the suitability of the products for the applications disclosed. GENERAL SHALE BRICK, INC. shall not be liable for and the customer assumes all risk and liability for any use or handling of any material beyond GENERAL SHALE BRICK, INC. direct control. The SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Please consult a building professional before installing, cleaning or repairing any masonry product.





# **Technical Bulletin**

#### **Aggregate Test Results**

Material: Brick Dust		Plant Number: Date:	36 2/14/2019	
	Dry Sieve Ana	alysis	,	
Screen	Cumulative We Retained	ight Cumul	ative % Retained	
4 8 14 28 48 100 200 Pan	0.0 14.5 153.3 283.5 398.8 475.9 511.8 550.4		0.0% 2.6% 27.9% 51.5% 72.5% 86.5% 93.0% 100.0%	
<u>Fineness Modulu</u> <u>Unit Weight:</u>	s: 2.409 Loose		Compact	
Dried		lbs/ft <sup>3</sup>	<b>93.4</b> lbs/ft <sup>3</sup>	
Moisture (as received): 7.93%				
Pan V	Veight: 3.25			
As Received V	Veight: 34.55	5		
Dry Weight: 32.2		5		

 ${\sf Tech\_Bulletin\_Brick\ Chips\_Track\_Dust\ Properties.doc}$ 

03.1.19 **3** | Page

The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained. Because of the variations in methods, conditions and equipment used in various forms of masonry installing, cleaning, and / or repairing, no warranties or guarantees are made as to the suitability of the products for the applications disclosed. GENERAL SHALE BRICK, INC. shall not be liable for and the customer assumes all risk and liability for any use or handling of any material beyond GENERAL SHALE BRICK, INC. direct control. The SELLER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. Please consult a building professional before installing, cleaning or repairing any masonry product.