

Shape Drawing #	Shape Description	Page
CLOSURE SIZE SHAPES		
CLO – BULLNOSE EXT	BULLNOSE HEADER CORNER	6
CLO – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	7
CLO600 – EC120	120° EXTERNAL CORNER	8
CLO600 - EC135	135° EXTERNAL CORNER	9
CLO600 - EC150	150° EXTERNAL CORNER	10
CLO600 - IC135	135° INTERNAL CORNER	11
CLO758 – BULLNOSE	BULLNOSE HEADER	12
CLO758 – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	13
CLO758 – BULLNOSE ROWLOCK	BULLNOSE ROWLOCK	14
CLO758 – BULLNOSE ROWLOCK EXT	BULLNOSE ROWLOCK EXTERIOR CORNER	15
CLO758 – BULLNOSE ROWLOCK INT	BULLNOSE ROWLOCK INSIDE CORNER	16
CLO758 – EC135	135° EXTERNAL CORNER	17
CLO758 – LIP	LIPPED STRETCER	18
CLO758 – LIP L	LIPPED STRETCHER LEFT RETURN	19
CLO758 – LIP R	LIPPED STRETCHER RIGHT RETURN	20
CLO758 – LIP SOLDIER	LIPPED SOLDIER	21
CLO758 – LIP SOLDIER CORNER	LIPPED SOLDIER CORNER	22
	ENGINEER SIZE SHAPES	
ENG – BULLNOSE EXT	BULLNOSE HEADER CORNER	23
ENG – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	24
ENG600 – EC120	120° EXTERNAL CORNER	25
ENG600 – EC135	135° EXTERNAL CORNER	26
ENG600 – EC150	150° EXTERNAL CORNER	27
ENG600 – IC135	135° INTERNAL CORNER	28



ENG758 – BULLNOSE	BULLNOSE HEADER	29	
ENG758 – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	30	
ENG758 – BULLNOSE ROWLOCK	BULLNOSE ROWLOCK	31	
ENG758 – BULLNOSE ROWLOCK EXT	BULLNOSE ROWLOCK EXTERIOR CORNER	32	
ENG758 – BULLNOSE ROWLOCK INT	BULLNOSE ROWLOCK INSIDE CORNER	33	
ENG758 – EC135	135° EXTERNAL CORNER	34	
ENG758 – LIP	LIPPED STRETCER	35	
ENG758 – LIP L	LIPPED STRETCHER LEFT RETURN	36	
ENG758 – LIP R	LIPPED STRETCHER RIGHT RETURN	37	
ENG758 – LIP SOLDIER	LIPPED SOLDIER	38	
ENG758 – LIP SOLDIER CORNER	LIPPED SOLDIER CORNER	39	
	MODULAR SIZE SHAPES		
MOD – BULLNOSE EXT	BULLNOSE HEADER CORNER	40	
MOD – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	41	
MOD600 – EC120	120° EXTERNAL CORNER	42	
MOD600 – EC135	135° EXTERNAL CORNER	43	
MOD600 – EC150	150° EXTERNAL CORNER	44	
MOD600 – IC135	135° INTERNAL CORNER	45	
MOD758 – BULLNOSE	BULLNOSE HEADER	46	
MOD758 – EC135	135° EXTERNAL CORNER	47	
MOD758 – LIP	LIPPED STRETCER	48	
MOD758 – LIP L	LIPPED STRETCHER LEFT RETURN	49	
MOD758 – LIP R	LIPPED STRETCHER RIGHT RETURN	50	
MOD758 – LIP SOLDIER	LIPPED SOLDIER	51	
MOD758 – LIP SOLDIER CORNER	LIPPED SOLDIER CORNER	52	



NORWEGIAN SIZE SHAPES		
NOR – BULLNOSE EXT	BULLNOSE HEADER CORNER	53
NOR – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	54
NOR758 – BULLNOSE	BULLNOSE HEADER	55
NOR758 – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	56
NOR758 – IC135	135° INTERNAL CORNER	57
NOR115 – BULLNOSE	BULLNOSE ROWLOCK	58
NOR115 – EC135	135° EXTERNAL CORNER	59
NOR115 – LIP	LIPPED STRETCER	60
NOR115 – LIP L	LIPPED STRETCHER LEFT RETURN	61
NOR115 – LIP R	LIPPED STRETCHER RIGHT RETURN	62
NOR115 – LIP SOLDIER	LIPPED SOLDIER	63
NOR115 – LIP SOLDIER CORNER	LIPPED SOLDIER CORNER	64
	NORMAN SIZE SHAPES	
NRM758 – BULLNOSE	BULLNOSE HEADER	65
NRM758 – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	66
NRM758 – IC135	135° INTERNAL CORNER	67
NRM115 – BULLNOSE	BULLNOSE ROWLOCK	68
NRM115 – EC135	135° EXTERNAL CORNER	69
NRM115 – LIP	LIPPED STRETCER	70
NRM115 – LIP L	LIPPED STRETCHER LEFT RETURN	71
NRM115 – LIP R	LIPPED STRETCHER RIGHT RETURN	72
NRM115 – LIP SOLDIER	LIPPED SOLDIER	73
NRM115 – LIP SOLDIER CORNER	LIPPED SOLDIER CORNER	74



QUEEN SIZE SHAPES		
QUE – BULLNOSE EXT	BULLNOSE HEADER CORNER	75
QUE – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	76
QUE600 – EC120	120° EXTERNAL CORNER	77
QUE600 – EC135	135° EXTERNAL CORNER	78
QUE600 – EC150	150° EXTERNAL CORNER	79
QUE600 – IC135	135° INTERNAL CORNER	80
QUE758 – BULLNOSE	BULLNOSE HEADER	81
QUE758 – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	82
QUE758 – BULLNOSE ROWLOCK	BULLNOSE ROWLOCK	83
QUE758 – BULLNOSE ROWLOCK EXT	BULLNOSE ROWLOCK EXTERIOR CORNER	84
QUE758 – BULLNOSE ROWLOCK INT	BULLNOSE ROWLOCK INSIDE CORNER	85
QUE758 – EC135	135° EXTERNAL CORNER	86
QUE758 – LIP	LIPPED STRETCER	87
QUE758 – LIP L	LIPPED STRETCHER LEFT RETURN	88
QUE758 – LIP R	LIPPED STRETCHER RIGHT RETURN	89
QUE758 – LIP SOLDIER	LIPPED SOLDIER	90
QUE758 – LIP SOLDIER CORNER	LIPPED SOLDIER CORNER	91
	UTILITY SIZE SHAPES	
UTI – BULLNOSE EXT	BULLNOSE HEADER CORNER	92
UTI – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	93
UTI758 – BULLNOSE	BULLNOSE HEADER	94
UTI758 – BULLNOSE INT	BULLNOSE HEADER INSIDE CORNER	95
UTI758 – IC135	135° INTERNAL CORNER	96
UTI115 – BULLNOSE	BULLNOSE ROWLOCK	97
UTI115 – EC135	135° EXTERNAL CORNER	98





Cleveland County Custom Brick Shapes

10-13-2014


UTI115 – LIP	LIPPED STRETCER	99
UTI115 – LIP L	LIPPED STRETCHER LEFT RETURN	100
UTI115 – LIP R	LIPPED STRETCHER RIGHT RETURN	101
UTI115 – LIP SOLDIER	LIPPED SOLDIER	102
UTI115 – LIP SOLDIER CORNER	LIPPED SOLDIER CORNER	103

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.














	PROJECT:		ORDER #: _	
	MATERIAL:	GENERAL SHALE BRICK	COLOR: -	
•	DESCRIPTION:	BULLNOSE HEADER CORNER	TEXTURE: _	
	SIZE:	CLOSURE	QUANTITY: _	

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.













PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:
SIZE:	CLOSURE	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK d BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN 3" = 1'-0"





PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	120° EXTERNAL CORNER	TEXTURE:	
SIZE:	CLOSURE	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PLAN
3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	CLOSURE	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	150° EXTERNAL CORNER	TEXTURE:	
	SIZE:	CLOSURE	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PLAN
3" = 1'-0"





	PROJECT:		ORDER #: -	
	MATERIAL:	GENERAL SHALE BRICK	COLOR: -	
•	DESCRIPTION:	135° INTERNAL CORNER	TEXTURE: -	
	SIZE:	CLOSURE	QUANTITY: _	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"

ISOMETRIC NTS




PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION	: BULLNOSE HEADER	TEXTURE:
SIZE:	CLOSURE	QUANTITY:


NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.













	SIZE:	CLOSURE	QUANTITY:
,	DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:
	MATERIAL:	GENERAL SHALE BRICK	COLOR:
	PROJECT:		ORDER #:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:






SECTION3" = 1'-0"




PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTIO	N: BULLNOSE ROWLOCK	TEXTURE:
SIZE:	CLOSURE	QUANTITY:


- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.



SECTION








ISOMETRIC NTS




	MATERIAL:	GENERAL SHALE BRICK	COLOR:
ļ	DESCRIPTION:		TEXTURE:
	SIZE:	CLOSURE	QUANTITY:


- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.



SECTION









PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE ROWLOCK INSIDE CORNER	TEXTURE:
SIZE:	CLOSURE	QUANTITY:


CADFILE No. FOR THIS DWG: CL0758 - ECI35 DISTRIBUTOR FOR THIS PROJECT: REVISIONS / ISSUED


SCALE: AS SHOWN DATE DRAWN: DD MMM YYYY PREVIOUS CADFILE #:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION	: 135° EXTERNAL CORNER	TEXTURE:
SIZE:	CLOSURE	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED STRETCHER	TEXTURE:	
	SIZE:	CLOSURE	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN L	TEXTURE:	
	SIZE:	CLOSURE	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"

ISOMETRIC NTS





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN R	TEXTURE:	
	SIZE:	CLOSURE	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED SOLDIER	TEXTURE:	
	SIZE:	CLOSURE	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:






SECTION3" = 1'-0"


ISOMETRIC NTS




PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	LIPPED SOLDIER CORNER	TEXTURE:	
SIZE:	CLOSURE	QUANTITY:	

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PROFILE DRAWING REVIEW

OK AS SHOWN: AS MODIFIED:

OK'd BY:


DATE:


ISOMETRIC NTS




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER CORNER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.













PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:
SIZE:	ENGINEER	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PLAN 3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	120° EXTERNAL CORNER	TEXTURE:
SIZE:	ENGINEER	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK d BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$



	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	


CADFILE No. FOR THIS DWG: ENG600 - ECI50 DISTRIBUTOR FOR THIS PROJECT: REVISIONS / ISSUED


SCALE: AS SHOWN DATE DRAWN: DD MMM YYYY PREVIOUS CADFILE #:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PLAN
3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	150° EXTERNAL CORNER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° INTERNAL CORNER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:
SIZE:	ENGINEER	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:






SECTION3" = 1'-0"




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE ROWLOCK	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	


- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.



SECTION3" = 1'-0"











	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE ROWLOCK CORNER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	


- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.



SECTION











PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	BULLNOSE ROWLOCK INSIDE CORNER	TEXTURE:	
SIZE:	ENGINEER	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$





PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
SIZE:	ENGINEER	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED STRETCHER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK d BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #: -	
	MATERIAL:	GENERAL SHALE BRICK	COLOR: -	
•	DESCRIPTION:	LIPPED RETURN L	TEXTURE: _	
	SIZE:	ENGINEER	QUANTITY: -	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN R	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





	PROJECT:		ORDER #: _	
	MATERIAL:	GENERAL SHALE BRICK	COLOR: _	
•	DESCRIPTION:	LIPPED SOLDIER	TEXTURE: _	
	SIZE:	ENGINEER	QUANTITY: _	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"


ISOMETRIC NTS




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED SOLDIER CORNER	TEXTURE:	
	SIZE:	ENGINEER	QUANTITY:	


NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.














PROJECT:	ORDER #:
MATERIAL: GENERAL SHALE BRICK	COLOR:
DESCRIPTION: BULLNOSE HEADER CORNER	TEXTURE:
SIZE: MODULAR	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PROFILE DRAWING REVIEW

OK'd BY:

DATE:

OK AS SHOWN: AS MODIFIED:

ISOMETRIC NTS





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:	
	SIZE:	MODULAR	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PLAN
3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	120° EXTERNAL CORNER	TEXTURE:	
	SIZE:	MODULAR	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK d BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN 3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	MODULAR	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"





PROJECT:		ORDER #: -	
MATERIAL:	GENERAL SHALE BRICK	COLOR: -	
DESCRIPTION:	150° EXTERNAL CORNER	TEXTURE: _	
SIZE:	MODULAR	QUANTITY: -	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PLAN 3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° INTERNAL CORNER	TEXTURE:	
	SIZE:	MODULAR	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER	TEXTURE:	
	SIZE:	MODULAR	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN 3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	MODULAR	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED STRETCHER	TEXTURE:	
	SIZE:	MODULAR	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	LIPPED RETURN L	TEXTURE:
SIZE:	MODULAR	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #: _	
	MATERIAL:	GENERAL SHALE BRICK	COLOR: _	
•	DESCRIPTION:	LIPPED RETURN R	TEXTURE: _	
	SIZE:	MODULAR	QUANTITY: _	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	LIPPED SOLDIER	TEXTURE:
SIZE:	MODULAR	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.








SECTION3" = 1'-0"




PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	LIPPED SOLDIER CORNER	TEXTURE:	
SIZE:	MODULAR	QUANTITY:	


NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.













	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER CORNER	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	


NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.









ISOMETRIC NTS





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION	: BULLNOSE HEADER INSIDE CORNER	TEXTURE:
SIZE:	NORWEGIAN	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"

ISOMETRIC NTS





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"




	PROJECT:		ORDER #:
	MATERIAL:	GENERAL SHALE BRICK	COLOR:
)	DESCRIPTION:	135° INTERNAL CORNER	TEXTURE:
	SIZE:	NORWEGIAN	QUANTITY:


CADFILE No. FOR THIS DWG: NORII5 - BULLNOSE	DISTRIBUTOR FOR THIS PROJECT:	REVISIONS / ISSUED
SCALE: AS SHOWN DATE DRAWN: DD MMM YYYY	PREVIOUS CADFILE #:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE ROWLOCK	TEXTURE:
SIZE:	NORWEGIAN	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED STRETCHER	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN L	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:






SECTION3" = 1'-0"




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN R	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.





SECTION3" = 1'-0"


ISOMETRIC NTS




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED SOLDIER	TEXTURE:	
	SIZE:	NORWEGIAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED SOLDIER CORNER	TEXTURE:	
	SIZE:	NORWEGIAN	OUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER	TEXTURE:	
	SIZE:	NORMAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:	
	SIZE:	NORMAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"




PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION	135° INTERNAL CORNER	TEXTURE:
SIZE:	NORMAN	QUANTITY:


CADFILE No. FOR THIS DWG: NRMII5 - BULLNOSE	DISTRIBUTOR FOR THIS PROJECT:	REVISIONS / ISSUED
SCALE: AS SHOWN DATE DRAWN: DD MMM YYYY	PREVIOUS CADFILE #:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"




PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE ROWLOCK	TEXTURE:
SIZE:	NORMAN	QUANTITY:


CADFILE No. FOR THIS DWG: NRMII5 - ECI35	DISTRIBUTOR FOR THIS PROJECT:	REVISIONS / ISSUED
SCALE: AS SHOWN DATE DRAWN: DD MMM YYYY	PREVIOUS CADFILE #:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	NORMAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED STRETCHER	TEXTURE:	
	SIZE:	NORMAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"

ISOMETRIC NTS





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN L	TEXTURE:	
	SIZE:	NORMAN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:






SECTION3" = 1'-0"




PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	LIPPED RETURN R	TEXTURE:
SIZE:	NORMAN	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.






SECTION3" = 1'-0"




PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	LIPPED SOLDIER	TEXTURE:
SIZE:	NORMAN	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"




	PROJECT:		ORDER #:
	MATERIAL:	GENERAL SHALE BRICK	COLOR:
•	DESCRIPTION:	LIPPED SOLDIER CORNER	TEXTURE:
	SIZE:	NORMAN	QUANTITY:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.














PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE HEADER CORNER	TEXTURE:
SIZE:	QUEEN	QUANTITY:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







PROFILE DRAWING REVIEW

OK AS SHOWN: AS MODIFIED:

OK'd BY:

DATE:

ISOMETRIC NTS




	PROJECT:		ORDER #:	_
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	_
•	DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:	_
	SIZE:	QUEEN	QUANTITY:	_


FINISHED FACES

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"





	PROJECT:		ORDER #:
	MATERIAL:	GENERAL SHALE BRICK	COLOR:
•	DESCRIPTION:	120° EXTERNAL CORNER	TEXTURE:
	SIZE:	QUEEN	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"





PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
SIZE:	QUEEN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$





	PROJECT:		ORDER #:
	MATERIAL:	GENERAL SHALE BRICK	COLOR:
•	DESCRIPTION:	150° EXTERNAL CORNER	TEXTURE:
	SIZE:	QUEEN	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° INTERNAL CORNER	TEXTURE:	
	SIZE:	QUEEN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	BULLNOSE HEADER	TEXTURE:	
SIZE:	QUEEN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	BULLNOSE STRETCHER	TEXTURE:	
SIZE:	QUEEN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:






SECTION3" = 1'-0"




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE ROWLOCK	TEXTURE:	
	SIZE:	QUEEN	QUANTITY:	Ī


- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.



SECTION











PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE ROWLOCK CORNER	TEXTURE:
SIZE:	QUEEN	QUANTITY:


- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.



SECTION

3" = 1'-0"





PROFILE DRAWING REVIEW

OK AS SHOWN: AS MODIFIED:

OK'd BY:

DATE:

$\frac{\mathsf{ISOMETRIC}}{\mathsf{NTS}}$




PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE ROWLOCK INSIDE CORNER	TEXTURE:
SIZE:	QUEEN	QUANTITY:


FINISHED FACE

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	QUEEN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED STRETCHER	TEXTURE:	
	SIZE:	QUEEN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #: _	
	MATERIAL:	GENERAL SHALE BRICK	COLOR: _	
•	DESCRIPTION:	LIPPED RETURN L	TEXTURE: _	
	SIZE:	QUEEN	QUANTITY: _	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK d BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN R	TEXTURE:	
	SIZE:	QUEEN	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.







SECTION3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	LIPPED SOLDIER	TEXTURE:
SIZE:	QUEEN	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.









SECTION3" = 1'-0"




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED SOLDIER CORNER	TEXTURE:	
	SIZE:	QUEEN	QUANTITY:	

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.














PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION	BULLNOSE HEADER CORNER	TEXTURE:
SIZE:	UTILITY	QUANTITY:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.













PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	BULLNOSE HEADER INSIDE CORNER	TEXTURE:
SIZE:	UTILITY	QUANTITY:

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"




	PROJECT:		ORDER #: -	
	MATERIAL:	GENERAL SHALE BRICK	COLOR: -	
•	DESCRIPTION:	BULLNOSE HEADER	TEXTURE: -	
	SIZE:	UTILITY	QUANTITY: _	


NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.













	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	BULLNOSE STRETCHER	TEXTURE:	
	SIZE:	UTILITY	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





PLAN
3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° INTERNAL CORNER	TEXTURE:	
	SIZE:	UTILITY	QUANTITY:	

CADFILE No. FOR THIS DWG: UTIII5 - BULLNOSE	DISTRIBUTOR FOR THIS PROJECT:	REVISIONS / ISSUED
SCALE: AS SHOWN DATE DRAWN: DD MMM YYYY	PREVIOUS CADFILE #:	

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





PROJECT:		ORDER #:	
MATERIAL:	GENERAL SHALE BRICK	COLOR:	
DESCRIPTION:	BULLNOSE ROWLOCK	TEXTURE:	
SIZE:	UTILITY	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





 $\frac{\mathsf{PLAN}}{3" = 1' - 0"}$





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	135° EXTERNAL CORNER	TEXTURE:	
	SIZE:	UTILITY	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED STRETCHER	TEXTURE:	
	SIZE:	UTILITY	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK'd BY:
OK AS SHOWN:
AS MODIFIED:
DATE:





SECTION3" = 1'-0"





	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
)	DESCRIPTION:	LIPPED RETURN L	TEXTURE:	
	SIZE:	UTILITY	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.

PROFILE DRAWING REVIEW
OK d BY:
OK AS SHOWN:
AS MODIFIED:
DATE:






SECTION3" = 1'-0"




	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED RETURN R	TEXTURE:	
	SIZE:	UTILITY	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.













	PROJECT:		ORDER #:	
	MATERIAL:	GENERAL SHALE BRICK	COLOR:	
•	DESCRIPTION:	LIPPED SOLDIER	TEXTURE:	
	SIZE:	UTILITY	QUANTITY:	

NOTES:

- 1. HEAVY LINES INDICATE FINISHED FACES.
- 2. DIMENSIONAL TOLERANCES WILL MEET ASTM C216, TYPE FBA OR FBS.
- 3. ACTUAL CORING CONFIGURATION MAY VARY.





SECTION3" = 1'-0"





PROJECT:		ORDER #:
MATERIAL:	GENERAL SHALE BRICK	COLOR:
DESCRIPTION:	LIPPED SOLDIER CORNER	TEXTURE:
SIZE:	UTILITY	QUANTITY: