

How-To Assemble Your

STACKER 200

Woodbox

PART NO. WBX-200

DIFFICULTY NOVICE

APPROX. DIM. 3'W x 2'D x 3'8H

APPROX. WEIGHT 2,485 lbs.



N DIFFICULTY RATING
NOVICE
This kit can be constructed with limited building knowledge.

GENERAL SHALE OUTDOOR LIVING PRODUCT WARRANTY

All General Shale Outdoor Living products are warranted to be made from high quality materials that meet or exceed ASTM material standards. Outdoor Living products are intended for recreational or residential use and are not warranted for any other purpose. The life of the product depends on correctness of installation and extent of usage. All metal components are subject to normal rust and corrosion.

ANY IMPLIED WARRANTIES ARE HEREBY DISCLAIMED AND ARE EXPRESSLY EXCLUDED.

Materials included with your outdoor kit.

- (15) Block “A” (4" x 8" x 16")
- (26) Block “B” (4" x 8" x 12")
- (1) Bullnose Block “B3” (4" x 6 3/4" x 14")
- (18) Block “C” (4" x 8" x 8")
- (4) Block “D” (4" x 8" x 4")
- (2) Block “E” (4" x 4" x 11 1/4")
- (2) Block “F” (4" x 3 1/8" x 12")
- (1) Block “G” (4" x 6 3/4" x 12")
- (1) Block “H” (4" x 4 1/4" x 8")
- (5) Bullnose Block "B1" (4" x 8" x 14")
- (1) Bullnose Block "B2" (4" x 4 1/2" x 14")
- (1) Bullnose Block "B4" (4" x 8" x 8")
- (1) Bullnose Corner Block "B5"
- (2) Bullnose Block "B6" (4" x 5" x 8")
- (2) Block Lintel (4" x 8" x 27")
- (1) Cement Board (12" x 27")
- (1) Decorative Arriscraft Tile Insert (7 5/8" x 19 1/4")
- (1) Thin Set Mix Bag
- *Note: Actual components may vary slightly. Some cutting may be required.*

Additional materials required to install your kit.

- Concrete or Gravel (for setting base)
- Level
- Tape Measure
- Small Trowel
- 5 gal. Mixing Bucket
- *Note: You may also use landscape adhesive (available separately) in place of supplied thin set mix.*

NOTE: This unit is designed for outdoor use only. This unit is not designed to be used on wood decks or under roof enclosures. Locate unit reasonable distance from any combustible materials. Comply with local building code(s) and burning permits as applicable. Retain these instructions with unit.

**Step
1**


Create a level base using Crusher Run Stone to accommodate the overall footprint of the woodbox kit.

- Prepare an area 3'6" wide x 2'6" deep.
- Remove sod and vegetation.
- Excavate/remove soft soil as required to provide level stone surface at a minimum of 4" deep.
- If required, use landscape blocks to retain stone base.
- If installing optional hearth/knee wall, extend base as required.




If soil under sod is hard, soil can be leveled out and used as a base material.

Reference diagrams for creating a level base.



(Base Section View)



(Base Plan View)

NOTE: All outdoor living kits can be installed directly on a properly prepared stone base. However, for best performance and appearance, a concrete pad is recommended.

**Step
2**


Build the woodbox (courses 1 and 2).

- Assemble the woodbox on a level setting base.

TIP *After laying the first course, check to make sure it is level before proceeding.*


- Apply thin set layer with small trowel to bond courses.

TIP *Apply thin set to the inside of block to prevent excess from squeezing out onto the face of the mailbox.*



Course 1

(9) Block “B” (4" x 8" x 12")



Course 2

(6) Block “A” (4" x 8" x 16")


(2) Block “E” (4" x 4" x 11 1/4")

**Step
3**

Build the woodbox (courses 3 and 4).


- Use supplied thin set between all courses and all block.

TIP *Apply thin set to the inside of block to prevent excess from squeezing out onto the face of the woodbox.*



Course 3

- (3) Block “A” (4" x 8" x 16")
- (3) Block “B” (4" x 8" x 12")
- (6) Block “C” (4" x 8" x 8")
- (1) Block “H” (4" x 4 1/4" x 8")
- (2) Bullnose Block “B1” (4" x 8" x 14")
- (1) Bullnose Block “B2” (4" x 4 1/2" x 14")



Course 4

- (2) Block “A” (4" x 8" x 16")
- (4) Block “B” (4" x 8" x 12")
- (4) Block “C” (4" x 8" x 8")
- (1) Block “D” (4" x 8" x 4")

NOTE: All block shown in light gray use the 8" dimension as the height and all dark gray block use the 4" dimension as the height.


**Step
4**

Build the woodbox (courses 5 and 6).

- Use supplied thin set between all courses and all block.




Apply thin set to the inside of block to prevent excess from squeezing out onto the face of the woodbox.



Course 5


- (2) Block “A” (4" x 8" x 16")
- (3) Block “B” (4" x 8" x 12")
- (6) Block “C” (4" x 8" x 8")



Course 6 (Before Cement Board)

- (2) Block “A” (4" x 8" x 16")
- (2) Block “B” (4" x 8" x 12")
- (2) Block “C” (4" x 8" x 8")
- (3) Block “D” (4" x 8" x 4")
- (2) Block “F” (4" x 3 1/8" x 12")
- (2) Lintels (4" x 8" x 27")
- (1) Cement Board (12" x 27")

NOTE: Lintel 1 sits on top of course 5; Lintel 2 sits on top of “F” blocks.



Course 6 (After Cement Board Installed)

Cement Board installs on top of Lintel (2) below.

**Step
5**

Build the woodbox cap (course 7).


- Use supplied thin set between all courses and all block.



Apply thin set to the inside of block to prevent excess from squeezing out onto the face of the woodbox.



B4, B5 and B6 blocks can be flipped over and used on the right side of the woodbox to use the woodbox on the right side of the fireplace.




Course 7 (Cap)

- (3) Block “B” (4" x 8" x 12")
- (3) Bullnose Block “B1” (4" x 8" x 14")
- (1) Bullnose Corner Block
- (1) Bullnose Block “B4” (4" x 8" x 8")
- (2) Bullnose Block “B6” (4" x 5" x 8")
- (1) Bullnose Block “B3” (4" x 6 3/4" x 14")
- (1) Block “G” (4" x 6 3/4" x 12")

**Step
6**

Install decorative tile insert.

- Install supplied tile on exposed block lintel with thin set.



Decorative Arriscraft Tile Insert